DRSQ34NI

DRSQ34NI-2

DRSQ38NI

DRSQ38NI-2

DRSQ42NI

DELRAY / THE ART OF FIREPLACES

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2

DELRAY

The DelRay Square Universal Burner

A revolutionary burner system, creating endless opportunities

Versatility

We have developed a burner system that is not only convertible from natural gas to propane, but can switch from traditional to contemporary burner media without changing the burner system.

Media kits, such as logsets and contemporary scenes, must be ordered along with the unit.

Combustible facing

Our unique firebox design allows for installing a combustible wood facing right down to the glass opening.

Trim kits

For uneven and ledgestone finishing, a slim finishing kit connects directly to the fireplace frame to conceal the finished edge. These kits are adjustable and can cover finishing depths up to 2".







TRADITIONAL LOGSETS Hand painted to perfection

Each logset is designed to work with the universal burner system that ensures a realistic flame pattern that fills the firebox.

All logsets come standard with a black coal firebed and glowing ember media.



WATCH IT BURN DELRAY SQUARE 34 VIDEO



Watch the video to see the DelRay Square 34 burning with 9 media sets and 7 liners.

DELRAY SQUARE 34 MEDIA SHOWN BELOW



WATCH IT BURN DELRAY SQUARE 38 VIDEO



Watch the video to see the DelRay Square 38 burning with 9 media sets and 7 liners.

DELRAY SQUARE 38 MEDIA SHOWN BELOW






WATCH IT BURN DELRAY SQUARE 42 VIDEO



Watch the video to see the DelRay Square 42 burning with 9 media sets and 7 liners.

DELRAY SQUARE 42 MEDIA SHOWN ABOVE



WATCH IT BURN DELRAY SQUARE 46 VIDEO



Watch the video to see the DelRay Square 46 burning with 9 media sets and 7 liners.

DELRAY SQUARE 46 MEDIA SHOWN ABOVE









DELRAY

SQUARE

DRSQ34

DRSQ34-2

DRSQ38

DRSQ38-2

SINGLE SIDED

DIRECT VENT

DELRAY FULL LOAD SQUARE Standard

Concealed universal burner

Multi-function remote

Remote Hi-Lo flame control

Remote controlled fans

Micro mesh safety screen

Battery backup

Halogen downlighting

Options

Heat management

Adjustable trim kits

Traditional logsets

Contemporary scenes

Traditional and contemporary liners

Propane conversion kit

Speckled stones, glass media

WiFi phone app control

DELRAY BASIC SQUARE

Standard

CONTEMPORARY

& TRADITIONAL

Concealed universal burner

Manual Hi-Lo flame control

Options

Heat management

Adjustable trim kits

Remote control

Fans

Micro mesh safety screen

Traditional and contemporary liners

Propane conversion kit

Battery backup

Traditional logsets

Contemporary scenes

Speckled stones, glass media





DELRAY / SQUARE / DRSQ34NI-2 / DRIFTWOOD

WALL REMOTE[†] EC1550



GREY LEDGESTONE DRSQBK3*GL

WIFI PHONE APP CONTROL[†] SIT-WIFI



ASH FLUTED DRSQBK3*AF



DOWNLIGHTING^A



BLACK GLASS RBGDRSQ3*



TRADITIONAL LOGETS LGS**3*



VINTAGE BRICK DRSQBK3*VB



CONTEMPORARY SCENES CS*3*



TAN BRICK DRSQBK3*TB



TRIM KIT DRSQT**-*



RED BRICK DRSQBK3*RB

REMOTE RX200**

HERRINGBONE DRSQBK3*GH







DELRAY

SQUARE

DRSQ42NI

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2

SINGLE SIDED DIRECT VENT

MAKE A STATEMENT

DELRAY FULL LOAD SQUARE

Standard

Concealed universal burner

Multi-function remote

Remote Hi-Lo flame

Remote controlled fans

Micro mesh safety screen

Battery backup

Halogen downlighting

Options

Heat management

Adjustable trim kits

Traditional logsets

Contemporary scenes

Traditional and contemporary liners

Propane conversion kit

Speckled stones, glass media

WiFi phone app control

DELRAY BASIC SQUARE

Standard

Concealed universal burner

Manual Hi-Lo flame

Options

Heat management

Adjustable trim kits

Remote control

Fans

Micro mesh safety screen

Traditional and contemporary liners

Propane conversion kit

Battery backup

Traditional logsets

Contemporary scenes

Speckled stones, glass media













REMOTE RX200**



HERRINGBONE DRSQBK**GH





LEDGESTONE DRSQBK**GL



DELRAY / SQUARE / DRSQ42NI-2 / DRIFTWOOD



ASH FLUTED DRSQBK**AF





BLACK GLASS RBGDRSQ**



TRADITIONAL LOGETS LGS**



VINTAGE BRICK DRSQBK**VB





TAN BRICK DRSQBK**TB



TRIM KIT DRSQT**-*



RED BRICK DRSQBK**RB

DELRAY FINISHING

TRADITIONAL FINISHING • COOL WALL RELEASE / COOL WALL ADVANTAGE

The finishing options for the DelRay Square are as diverse as the unit itself. Create a surface safe for combustibles with the Cool Wall Release or Cool Wall Advantage kit, or keep it simple with traditional finishing. It's all up to you.

Traditional Finishing

DRSQ38 NON-VENTED CHASE SURFACE TEMPERATURES

Requires included cement board and stud heat deflector.



Standard Drywall 140°F 16" ABOVE OPENING 150°F 12" ABOVE **OPENING** 180°F Included 8" ABOVE Cement Board **OPENING** 190°F 4" ABOVE OPENING

Trim Kits

For uneven and ledgestone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge.

These kits are adjustable and cover finishing depths up to 2"



Prevent heat from being trapped within the chase by leaving the top open to allow heat to ventilate back into the room.

Cool Wall Release

DRSQ38 VENTED CHASE SURFACE TEMPERATURES

DRSQ34

Minimum 70² inch opening DRSQ38 Minimum 100² inch opening DRSQ42 Minimum 120² inch opening DRSQ46

Minimum 140² inch opening

Temperatures shown are based on a DRSQ38NI-2 with vented chase

Minimum 6' chase (When venting ports open or using Cool Wall Advantage kit) Minimum 7' chase for DRSQ46

Included cement board and stud heat deflector not required when using the Cool Wall Release or Cool Wall Advantage System.




VENTING PORTS


Opening the venting ports diverts heat though the chase, resulting in lower wall surface temperatures











Unit Specifications

ICON LEGEND

AVAILABLE +

DEDICATED ◊

	BTU NATURAL GAS	BTU LIQUID PROPANE	NG EFFICIENCY	LP EFFICIENCY	VENTING	CLEARANCE TOP - TOP VENT	CLEARANCE REAR - TOP VENT	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	CLEARANCE MANTEL	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	MICRO MESH SAFETY SCREEN	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
DRSQ34*I-2	18,000	16,000	65.7%	65.7%	4"/7"	21	17	0	1½	0	9	29 ¹¹ / ₁₆ X 18 ⁷ / ₈	HIGH TEMPERATURE	N/A	0	+	0	0	-	0
DRSQ34*I	15,500	14,000	67.1%	65.4%	4"/7"	21	17	0	11/2	0	9	29 ¹ 1/ ₁₆ X 18 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ38*I-2	24,000	19,500	65%	61.5%	5″/8″∆	21	17	0	11/2	0	6	33 ¹¹ / ₁₆ X 22 ⁷ / ₈	HIGH TEMPERATURE	N/A	0	+	0	0	-	0
DRSQ38*I	20,500	16,500	63.4%	61.8%	5″/8″ △	21	17	0	11/2	0	6	3311/16 X 227/8	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ42*I-2	32,500	27,000	63.1%	63%	5"/8"	28	28	1/2	11/2	0	10	37 ¹ 1/ ₁₆ X 26 ⁷ / ₈	HIGH TEMPERATURE	N/A	0	+	0	0	-	0
DRSQ42*I	32,500	27,000	63.1%	63%	5"/8"	28	28	1/2	11/2	0	10	37 ¹ 1/ ₁₆ X 26 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ46*I-2	40,000	34,000	64.1%	64.7%	5"/8"	35	35	1/2	1	0	10	41 ¹¹ / ₁₆ X 30 ⁷ / ₈	HIGH TEMPERATURE	N/A	0	+	0	0	-	0
DRSQ46*I	40,000	34,000	64.1%	64.7%	5"/8"	35	35	1/2	1	0	10	41 ¹¹ / ₁₆ X 30 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-

∆Can be reduced to 4"7"

DELRAY SQUARE FRAMING (MINIMUM DIMENSIONS)

	A *	В	С	D	Ε	F	G	
DRSQ34	49	401/2	18	36	521/16	371/16	1	
DRSQ38	621/8	447/16	18	403/16	591/4	41%	2	
DRSQ42	72	51	21	45	621/16	441/8	1	
DRSQ46	84	55	22	49	673/8	475/8	1	
* Some venting confi a larger enclosure to pipes and combust Header must be on	o provide ribles edge to m	minimum ve	rtical clea	rance betwe		E	F	G

1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer in 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.



🔔 WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to www.montigo.com



